



B.U.T. MALES

QUANTITATIVE (MANAGED) FEEDING PROGRAM

This feeding program has been designed to enhance the rate of sexual maturity in breeder males and assumes that the corresponding hens will be lit for production at 29-30 weeks of age. If semen is needed at an earlier age, adjustments will need to be made in both the lighting and feeding programs.

From 19 weeks, feed allotment should be adjusted based on desired bodyweight.

Performance objectives are goals that can be achieved with good management and environmental conditions. Individual flock results will vary for many reasons including but not limited to diet, disease and health, season and management practices. These objectives are not a guarantee of performance and Aviagen Turkeys shall not be responsible for the reliance upon this information.

*To be adjusted depending on bodyweight. See the Bulletin:
Managing Breeder Male Weights

IMPERIAL

Age		Bodyweight	Feed consumption	Cumulative feed
(wks)	(days)	(lb)	(lb/b/d)	(lb)
1	7	0.35	0.1	0.4
2	14	0.84	0.1	1.1
3	21	1.63	0.2	2.3
4	28	2.76	0.2	4.0
5	35	4.28	0.3	6.5
6	42	6.22	0.4	9.8
7	49	8.51	0.6	14.0
8	56	11.13	0.7	19.0
9	63	13.98	0.8	24.8
10	70	17.02	0.9	31.3
11	77	20.13	0.9	38.4
12	84	23.28	1.0	46.1
13	91	26.39	1.1	54.3
14	98	29.39	1.2	63.0
15	105	32.28	1.2	72.3
16	112	35.01	1.3	82.1
17	119	37.57	1.4	92.3
18	126	39.93	1.4	103.0
19	133	42.11	1.5	114.2
20	140	44.09	0.92-1.02*	121.9
21	147	45.33	0.92-1.02*	129.6
22	154	46.78	0.92-1.02*	137.3
23	161	47.77	0.92-1.02*	145.0
24	168	48.99	0.92-1.02*	152.7
25	175	50.22	0.92-1.02*	160.5
26	182	51.43	0.92-1.02*	168.2
27	189	52.67	0.92-1.02*	175.9
28	196	53.88	0.92-1.02*	183.6
29	203	55.12	0.92-1.02*	191.3

METRIC

Age		Bodyweight	Feed consumption	Cumulative feed
(wks)	(days)	(Kg)	(g/b/d)	(Kg)
1	7	0.16	27	0.19
2	14	0.38	46	0.51
3	21	0.74	74	1.03
4	28	1.25	113	1.82
5	35	1.94	161	2.95
6	42	2.82	215	4.46
7	49	3.86	271	6.35
8	56	5.05	325	8.63
9	63	6.34	375	11.25
10	70	7.72	420	14.19
11	77	9.13	460	17.41
12	84	10.56	498	20.89
13	91	11.97	533	24.62
14	98	13.33	567	28.59
15	105	14.64	600	32.79
16	112	15.88	632	37.22
17	119	17.04	664	41.86
18	126	18.11	694	46.72
19	133	19.10	722	51.78
20	140	20.00	450-500*	55.28
21	147	20.56	450-500*	58.78
22	154	21.22	450-500*	62.28
23	161	21.67	450-500*	65.78
24	168	22.22	450-500*	69.28
25	175	22.78	450-500*	72.78
26	182	23.33	450-500*	76.28
27	189	23.89	450-500*	79.78
28	196	24.44	450-500*	83.28
29	203	25.00	450-500*	86.78



B.U.T. MALES

QUALITATIVE (AD-LIB) FEEDING PROGRAM

This feeding program has been designed to enhance the rate of sexual maturity in breeder males and assumes that the corresponding hens will be lit for production at 29-30 weeks of age. If semen is needed at an earlier age, adjustments will need to be made in both the lighting and feeding programs.

Qualitative feeding utilizes a dynamic system of monitoring and reacting to body weight by adjusting the diet density to achieve the desired weights.

Performance objectives are goals that can be achieved with good management and environmental conditions. Individual flock results will vary for many reasons including but not limited to diet, disease and health, season and management practices. These objectives are not a guarantee of performance and Aviagen Turkeys shall not be responsible for the reliance upon this information.

IMPERIAL

Age		Bodyweight	Feed consumption	Cumulative feed
(wks)	(days)	(lb)	(lb/b/d)	(lb)
1	7	0.35	0.06	0.42
2	14	0.86	0.10	1.15
3	21	1.63	0.15	2.29
4	28	2.76	0.23	4.03
5	35	4.25	0.33	6.50
6	42	6.11	0.43	9.79
7	49	8.33	0.55	13.91
8	56	10.85	0.65	18.83
9	63	13.60	0.75	24.52
10	70	16.51	0.85	30.89
11	77	19.49	0.92	37.88
12	84	22.44	1.00	45.39
13	91	25.33	1.07	53.44
14	98	28.09	1.13	61.97
15	105	30.67	1.19	70.92
16	112	33.07	1.25	80.34
17	119	34.68	1.29	90.04
18	126	36.29	1.33	100.02
19	133	37.90	1.37	110.34
20	140	39.51	1.41	120.97
21	147	41.12	1.45	131.92
22	154	42.73	1.50	143.19
23	161	44.36	1.54	154.81
24	168	45.97	1.58	166.74
25	175	47.58	1.63	179.02
26	182	49.19	1.67	191.60
27	189	50.79	1.71	204.50
28	196	52.40	1.75	217.71
29	203	54.01	1.79	231.20

METRIC

Age		Bodyweight	Feed consumption	Cumulative feed
(wks)	(days)	(Kg)	(g/b/d)	(Kg)
1	7	0.16	27	0.19
2	14	0.39	47	0.52
3	21	0.74	75	1.04
4	28	1.25	113	1.83
5	35	1.93	160	2.95
6	42	2.77	212	4.44
7	49	3.78	267	6.31
8	56	4.92	319	8.54
9	63	6.17	368	11.12
10	70	7.49	413	14.01
11	77	8.84	452	17.18
12	84	10.18	488	20.59
13	91	11.49	521	24.24
14	98	12.74	552	28.11
15	105	13.91	581	32.17
16	112	15.00	609	36.44
17	119	15.73	628	40.84
18	126	16.46	648	45.37
19	133	17.19	668	50.05
20	140	17.92	689	54.87
21	147	18.65	710	59.84
22	154	19.38	731	64.95
23	161	20.12	752	70.22
24	168	20.85	774	75.63
25	175	21.58	795	81.20
26	182	22.31	816	86.91
27	189	23.04	836	92.76
28	196	23.77	856	98.75
29	203	24.50	874	104.87